

Narrabri Landfill

Location: Yarrie Lake Road, Narrabri NSW 2390 Environment Protection Licence Number: 12193

Activities: Waste disposal to land and waste processing

Licensee under Protection of Environment Operations Act 1997 (POEO Act): Narrabri Shire Council, PO Box 261, Narrabri NSW 22390

The internet link to Licence No. 12193 is <https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=143907&SYSUID=1&LICID=12193>

Council is required to monitor groundwater, surface water, leachate and methane at various sampling points. This document details recent results. To meet its obligation under Section 66 (6) of the POEO Act, a link to the current version of this document is available on Council's website.

Locations of the sampling points are shown on the adjacent figure. Historical names are used. NBH stands for Narrabri Bore Hole. [A bore hole is an investigative hole. When casing and screen are installed for monitoring, it is called a monitoring well.] S = Surface water; L = Leachate; Methane detection points are noted in red. Corresponding Environment Protection Authority (EPA) Identification Numbers detailed on the Licence are provided below.

EPA No. 1	NBH1 (groundwater monitoring well)
EPA No. 2	NBH2 (groundwater monitoring well)
EPA No. 3	NBH3 (groundwater monitoring well)
EPA No. 4	NBH4 (groundwater monitoring well)
EPA No. 5	NBH5 (groundwater monitoring well)
EPA No. 6	NBH6 (groundwater monitoring well)
EPA No. 7	NBH7 (groundwater monitoring well)
EPA No. 8	NBH8 (groundwater monitoring well)
EPA No. 9	NS1 (surface water)
EPA No. 10	NS2 (surface water)
EPA No. 11	NL1 (leachate from lined cell)
EPA No. 12	Surface methane monitoring
EPA No. 13	Building methane monitoring



Base map: Google Earth Pro 2023

Monitoring results for the last four years are presented on following pages – as required in the EPA publishing requirements.

Water quality analytes are organised in the following tables according to chemical grouping to assist chemical review. [Analytes are listed on the licence in alphabetical order.] They include analytes for groundwater, surface water and landfill leachate.

Tables are organised according to field and laboratory results. Field results start with the date the sampling and field tests were undertaken. Laboratory results tables start with the date the laboratory issued the results, followed by the date by which results were placed on the Narrabri Shire Council website.

Abbreviations made in the tables are provided here in alphabetical order:

Al = Aluminium; Alk = Alkalinity measured as mg/L CaCO₃ equivalent; As = Arsenic; Ba = Barium; BTEX = Benzene, Toluene, Ethylbenzene, Xylene; Ca = Calcium; Cd = Cadmium; Cl = Chloride; Co = Cobalt; Cr = Chromium; Cr^{VI} = Hexavalent Chromium; Cu = Copper; DO = Dissolved Oxygen; EC = Electrical Conductivity also called conductivity; Eh = Redox Potential; Fe = Iron; Fl = Fluoride; Hg = Mercury; K = Potassium; ND = Nil detected; NR = Not required; PAH = Polynuclear aromatic hydrocarbons; Pb = Lead; Mg = Magnesium; Mn = Manganese; Na = Sodium; NH₃ = Ammonia as a measure of ammonium ions; NO_x = Nitrite + Nitrate; O&G = Oil & Grease; OC & OP = Organochlorine and Organophosphorus pesticides; SO₄ = Sulphate; SS = Total suspended solids; Temp = Temperature; TKN = Total Kjeldahl Nitrogen (organic nitrogen + ammonia); TOC = Total Organic Carbon; TP = Total Phosphorus; TPH = Total Petroleum Hydrocarbons; VOCs = Volatile organic compounds; Zn = Zinc.

Measures:

mg/L = milligram per litre (equivalent to ppm); μ S/cm = microSiemens per centimetre; mV = millivolts; °C= degrees Celsius; ppm = parts per million.

Choice of water quality analytes:

Some analytes are tested because they give a general understanding of groundwater, surface water and leachate quality. The concentrations are usually greater in leachate than in groundwater and surface water. A simple comparison can tell us if landfill leachate may have escaped into groundwater or surface water. However, groundwater has particular characteristics that need to be taken into account so that false conclusions are not made. For example, groundwater may have naturally high salt levels due to the clay strata in which it resides. EC is an indicator of salt levels. The EC of the Narrabri Landfill groundwater is a case in point. The high EC levels (Table 1) in wells NBH4, NBH5, and NBH8 are not due to landfill leachate. Their borelogs show they are in silty clay, and no other analytes indicate there is leachate contamination.

Other analytes give us more specific information about the possible presence of landfill leachate in groundwater and surface water. Even with these we must carefully consider if their increased concentrations are definitely due to landfill leachate and are not from some other source.

- Nitrogen compounds indicate biodegradation of the plant and animal waste in our solid waste. They may also be due to fertilizer use on nearby properties. A general rule of thumb is that total nitrogen (TKN + NO_x) should be <5 mg/L.
- Iron and manganese above 10 mg/L is an indicator that landfill leachate may be present in groundwater. However, these groundwater analytes may have increased due to leaching of iron and manganese from the soil after excessive rainfall or flood water infiltration.
- Organic analytes such as BTEX compounds are most likely to indicate landfill leachate, especially if they haven't been detected before.

So it is important to monitor on a regular basis to note changes in water quality and to judiciously review the results. Increases in groundwater and surface water analyte concentrations due to landfill leachate intrusion are often at least three to four times the previous concentrations.

Comments on water quality monitoring results: Groundwater in wells NBH2, NBH3, NBH5, NHB6 and sometimes NBH7 are contaminated with nitrogen compounds, which are derived from biodegradable waste such as green waste, food waste and animal waste. Leachate is collected from a leachate collection tank in the old, lined cell and in the new 2022 cell, and pumped to a lined leachate pond. Groundwater qualities of neighbours' bores were tested in March 2019 and all results show the bore waters are fit for purpose.

Table 1a: Groundwater quality - field parameters, analytes, and depth (Monitoring wells NBH1, NBH2, NBH3)

Sampling date	Frequency required by licence	DO	EC	pH	Eh	Temp	D	RL	Alk
Measure		mg/L	µS/cm	1-14	mV	°C	m	m	mg/L
NBH1 Six monthly									
29/05/20		1.18	1567	7.66	+115	22.5	9.33	204.92	613
08/12/20		2.41	1431	7.76	+68	22.6	9.33	204.92	607
30/06/21		1.04	1441	7.44	+89	22.3	9.37	204.88	615
11/12/21		1.80	1487	7.50	+84	22.4	9.31	204.94	627
14/07/22		0.94	1481	7.41	+62	21.7	9.27	204.98	633
08/12/22		2.75	1415	7.61	+137	22.5	9.23	205.02	583
20/07/23		3.86	1454	7.61	+115	22.1	9.19	205.06	650
14/01/24		1.36	1378	7.63	+108	24.1	9.16	205.09	600
20/06/24		1.22	1439	7.65	+97	21.4	9.08	205.17	633
08/11/24		6.43	1375	7.94	+112	24.3	8.97	205.28	627
NBH2 Six monthly									
29/05/20		8.21	18900	8.59	+66	23.6	9.62	205.81	4100
09/12/20		0.45	19468	8.03	+77	24.3	9.69	205.74	4400
18/08/21		0.73	19018	7.90	+23	21.1	9.71	205.72	4650
11/12/21		0.50	18748	7.86	-2	23.9	9.70	205.73	4600
14/07/22		0.68	18525	7.97	+58	22.1	9.65	205.78	4600
08/12/22		5.58	17203	7.97	+77	24.8	9.48	205.95	4200
20/07/23		1.12	18248	7.82	+74	21.9	9.37	206.06	3900
14/01/24		No	4WD access						
20/06/24		0.47	18145	7.96	+76	21.3	9.29	206.14	4300
08/11/24		7.95	17058	8.19	+96	25.4	9.27	206.16	3900
NBH3 Six monthly									
29/05/20		4.38	14280	7.19	+101	22.5	10.02	205.53	1364
09/12/20		5.17	12690	7.29	+93	22.7	10.05	205.50	1260
18/08/21		4.75	12458	7.14	+66	19.4	10.08	205.47	1278
10/12/21		4.67	11450	7.22	+96	22.9	10.05	205.50	1180
14/07/22		3.97	15368	7.11	+115	20.6	10.05	205.50	1400
08/12/22		3.78	31000	7.34	+121	25.2	9.85	205.70	1780
20/07/23		3.72	23950	7.27	+109	22.7	9.81	205.74	1640
14/01/24		4.15	17823	7.38	+126	24.3	9.80	205.75	1750
21/06/24		3.39	30307	7.44	+110	23.4	9.83	205.72	1980
08/11/24		4.73	30207	7.53	+131	24.6	9.76	205.79	2400

Table 1b: Groundwater quality - field parameters, analytes, and depth (Monitoring wells NBH4, NBH5, NBH6)

Sampling date	Frequency required by licence	DO	EC	pH	Eh	Temp	D	RL	Alk
Measure		mg/L	µS/cm	1-14	mV	°C	m	m	mg/L
NBH4 Six monthly									
29/05/20		2.66	4640	7.71	+110	22.7	8.72	205.20	1167
09/12/20		3.92	4693	7.91	+112	23.0	8.71	205.21	1167
30/06/21		2.58	4735	7.66	+98	24.1	8.73	205.19	1187
11/12/21		3.14	4720	7.66	+70	23.7	8.62	205.30	1173
15/07/22		2.96	4708	7.53	+88	19.8	8.66	205.26	1167
08/12/22		3.97	4778	7.57	+147	23.3	8.54	205.38	1167
19/07/23		4.90	4810	7.62	+96	22.3	8.51	205.41	1153
14/01/24		2.54	4758	7.60	+108	26.4	8.49	205.43	1160
20/06/24		2.55	4953	7.66	+125	21.1	8.45	205.47	1153
08/11/24		5.36	4923	7.80	+102	24.4	8.44	205.48	1200
NBH5 Six monthly									
30/05/20		4.47	10078	7.45	+92	22.9	8.24	205.87	985
08/12/20		5.30	9963	7.56	+94	23.4	8.26	205.85	984
30/06/21		5.05	10178	7.38	+102	25.6	8.22	205.89	959
11/12/21		5.03	10270	7.41	+79	23.3	8.18	205.93	993
15/07/22		4.94	10230	7.39	+97	21.8	8.21	205.90	993
08/12/22		7.66	10623	7.34	+130	23.2	8.09	206.02	1013
19/07/23		6.82	10285	7.37	+111	22.5	8.08	206.03	1007
14/01/24		4.84	10215	7.37	+116	25.4	8.06	206.05	1133
20/06/24		4.42	11713	7.42	+103	22.2	8.04	206.07	1053
09/11/24		6.17	11633	7.53	+104	23.2	8.06	206.05	1027
NBH6 Six monthly									
30/05/20		3.32	14540	8.01	+29	22.8	7.92	206.42	3080
08/12/20		3.37	14025	8.04	+82	25.5	7.93	206.41	3020
30/06/21		4.29	13890	8.05	+88	25.5	7.89	206.45	3150
10/12/21		3.96	13543	8.00	+89	23.4	7.83	206.51	3300
15/07/22		4.17	12510	8.05	+82	22.7	7.83	206.51	5200
08/12/22		7.07	12828	8.01	+92	23.4	7.56	206.78	3300
19/07/23		5.41	11923	8.06	+91	21.7	7.64	206.70	3330
15/01/24		5.06	11135	8.11	+55	26.1	7.64	206.70	3300
20/06/24		3.71	11793	8.20	+64	20.0	7.56	206.78	3380
09/11/24		6.86	11138	8.37	+62	24.4	7.54	206.80	3360

Table 1c: Groundwater quality - field parameters, analytes and depth (Monitoring wells NBH7, NBH8)

Sampling date	Frequency required by licence	DO	EC	pH	Eh	Temp	D	RL	Alk
Measure		mg/L	µS/cm	1-14	mV	°C	m	m	mg/L
NBH7 Quarterly									
13/02/20		6.07	705	6.61	+123	26.1	4.05	210.13	70
30/05/20		2.50	525	6.76	-25	21.9	4.02	210.16	153
02/10/20		0.18	685	6.71	-128	22.6	4.10	210.08	300
08/12/20		0.81	954	6.95	-95	25.8	4.23	209.95	467
21/02/21		2.66	637	6.50	+63	24.3	4.10	210.08	150
30/06/21		5.06	536	7.16	+152	24.7	3.78	210.40	83
20/09/21		6.20	502	6.62	+104	19.8	3.66	210.52	110
10/12/21		5.71	397	8.23	+133	23.1	2.43	211.75	70
20/03/22		0.78	515	6.02	+105	24.5	3.38	210.80	97
15/07/22		2.86	488	6.99	+109	21.8	3.62	210.56	113
28/09/22		4.27	419	6.53	+167	19.6	2.84	211.34	80
11/12/22		5.16	484	6.51	+127	23.0	1.75	212.43	70
19/03/23		4.19	437	6.44	+129	26.1	2.84	211.34	80
20/07/23		3.23	469	6.70	+124	19.6	2.99	211.19	117
22/09/23		2.33	405	6.41	+156	20.7	3.24	210.94	103
15/01/24		3.91	500	7.09	+96	27.2	3.01	211.17	47
14/03/24		2.28	626	6.43	+163	25.9	3.48	210.70	120
21/06/24		3.70	601	7.48	+129	21.3	3.39	210.79	140
18/09/24		3.03	420	6.37	+135	19.7	3.21	210.97	100
09/11/24		3.42	499	6.91	+163	23.8	3.40	210.78	113
NBH8 Six monthly									
29/05/20		1.12	5505	6.76	+84	23.1	8.86	206.07	477
08/12/20		5.44	5685	7.28	+90	21.4	8.94	205.99	487
30/06/21		1.13	5793	6.88	-18	25.1	8.96	205.97	487
10/12/21		4.73	5620	7.15	+97	21.9	8.95	205.98	470
14/07/22		1.34	5595	6.70	+106	20.9	8.89	206.04	493
08/12/22		4.78	5465	7.08	+96	21.5	8.85	206.08	473
19/07/23		6.17	5273	6.92	+145	21.1	8.86	206.07	473
15/01/24		5.72	5225	7.17	+74	23.5	8.71	206.22	480
21/06/24		1.88	5953	6.91	+124	19.9	8.58	206.35	487
08/11/24		5.81	5833	7.18	+118	22.7	8.64	206.29	480

Table 2a: Groundwater quality – laboratory analytes (Monitoring wells NBH1, NBH2)

Received from laboratory	Accessible on Council website by	SO ₄	Cl	Ca	Mg	Na	K	As	Cd	Cr	Pb	Zn	Mn	Fe	NH ₃	NO _x	TKN	TN	TOC	Total Phenols	OC& OP pesticides	BTEX compounds and/or VOCs
Measure		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L as N	mg/L as N	mg/L as N	mg/L as N	mg/L	mg/L	mg/L	mg/L
NBH1																				Annually	Annually	BTEX – Annually
09/05/20	29/06/20	<1	107	<1	1	366	11	0.006	<0.0001	<0.001	<0.001	<0.005	<0.001	<0.05	0.04	0.04	0.1	0.1	8	<0.05	ND	ND
22/12/20	14/01/21	<1	149	<1	<1	362	11	0.006	<0.0001	<0.001	<0.001	0.011	<0.001	<0.05	<0.01	0.03	0.1	0.1	10	NR	NR	NR
15/07/21	04/08/21	<1	144	<1	1	365	11	0.006	<0.0001	0.001	0.001	0.024	0.002	<0.05	0.01	<0.01	<0.1	<0.1	3	<0.05	ND	ND
31/12/21	21/01/22	<1	135	<1	<1	362	10	0.006	<0.0001	<0.001	<0.001	<0.005	<0.001	<0.05	0.01	0.04	<0.1	<0.1	6	NR	NR	NR
27/01/22	16/08/22	<1	143	<1	1	348	10	0.006	<0.0001	<0.001	0.001	0.021	0.001	<0.05	<0.01	0.02	<0.1	<0.1	13	<0.05	ND	ND
29/12/22	23/01/23	<1	127	<1	1	377	12	0.006	<0.0001	<0.001	<0.001	<0.005	<0.001	<0.05	<0.01	0.08	<0.1	<0.1	3	NR	NR	NR
04/08/23	24/08/23	1	134	<1	1	343	10	0.006	<0.0001	<0.001	<0.001	0.008	<0.001	<0.05	<0.01	0.19	<0.1	0.2	3	<0.05	ND	ND
24/01/24	14/02/24	<1	118	<1	<1	338	11	0.006	<0.0001	<0.001	<0.001	0.008	<0.001	<0.05	<0.01	0.01	<0.1	<0.1	<2	NR	NR	NR
08/07/24	26/07/24	<1	132	<1	<1	349	10	0.006	<0.0001	<0.001	<0.001	<0.005	<0.001	<0.05	<0.01	0.01	<0.1	<0.1	5	<0.05	ND	ND
19/11/24	09/12/24	<1	130	<1	<1	325	11	0.007	<0.0001	<0.001	<0.001	0.015	<0.001	<0.05	0.02	0.02	0.1	0.1	7	NR	NR	NR
NBH2																				Annually	Annually	VOCs – Six monthly
09/06/20	29/06/20	722	4320	2	75	5090	137	0.020	<0.0005	<0.005	0.047	<0.025	0.022	<0.05	0.06	2.41	2.9	5.3	92	<0.05	ND	ND
22/12/20	14/01/21	753	5030	<1	83	5220	140	0.022	<0.0005	<0.005	0.008	<0.025	0.019	<0.05	<0.01	1.86	2.6	4.5	95	NR	NR	0.008 Tetrachloroethene 0.005 cis-1,2-Dichloroethene
31/08/21	20/09/21	736	4780	<1	74	4660	132	0.022	<0.0001	0.002	0.005	0.019	0.018	<0.05	<0.01	1.59	2.6	4.2	73	<0.05	ND	ND
31/12/21	21/01/22	690	4530	<1	77	4930	128	0.016	<0.0005	<0.005	<0.005	<0.025	0.008	<0.05	0.02	1.66	1.8	3.5	98	NR	NR	0.006 Tetrachloroethene
27/01/22	16/08/22	797	4320	1	77	4950	132	0.023	<0.0001	<0.005	0.006	<0.025	0.016	<0.05	<0.01	1.51	2.7	4.2	107	<0.05	ND	ND
29/12/22	23/01/23	797	3900	1	75	5010	130	0.024	<0.0001	<0.001	0.002	0.008	0.012	<0.05	<0.01	2.26	3.0	5.3	64	NR	NR	NR
04/08/23	24/08/23	1170	4330	<1	76	4740	129	0.019	<0.0001	0.002	0.001	0.006	0.023	<0.05	<0.01	48.3	5.4	53.7	78	<0.05	ND	ND
08/07/24	26/07/24	No 4WD	3800	acce	2	78	4670	130	0.020	<0.0001	0.002	0.004	0.024	<0.05	<0.01	44.7	5.0	49.7	112	<0.05	ND	ND
19/11/24	09/12/24	1530	3500	2	67	4320	115	0.022	<0.0001	0.002	0.004	0.018	0.022	<0.05	<0.01	49.3	7.9	57.2	79	NR	NR	NR

Table 2b: Groundwater quality – laboratory analytes (Monitoring wells NBH3, NBH4)

Received from laboratory	Accessible on Council website by	SO ₄	Cl	Ca	Mg	Na	K	As	Cd	Cr	Pb	Zn	Mn	Fe	NH ₃	NO _x	TKN	TN	TOC	Total Phenols	OC& OP pesticides	BTEX compounds and/or VOCS
Measure		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L as N	mg/L as N	mg/L as N	mg/L as N	mg/L	mg/L	mg/L	mg/L
NBH3																				Annually	Annually	BTEX – Annually
09/06/20	29/06/20	535	4090	5	104	3110	61	0.003	<0.0001	0.001	0.002	0.040	0.002	<0.05	<0.01	17.0	2.0	19.0	12	<0.05	ND	ND
22/12/20	14/01/21	430	3970	4	93	2900	59	0.003	<0.0001	0.002	0.001	0.052	0.002	<0.05	<0.01	12.3	1.4	13.7	10	NR	NR	NR
31/08/21	20/09/21	403	3790	4	82	2590	54	0.003	<0.0001	0.002	0.002	0.123	0.001	<0.05	<0.01	10.5	1.2	11.7	4	<0.05	ND	ND
31/12/21	21/01/22	334	3370	4	72	2540	51	0.003	<0.0001	0.002	0.001	0.083	<0.001	<0.05	<0.01	8.79	0.4	9.2	13	NR	NR	NR
27/01/22	16/08/22	644	4730	7	135	3450	68	0.003	<0.0001	0.002	0.002	0.098	0.003	<0.05	<0.01	20.0	1.4	21.4	27	<0.05	ND	ND
29/12/22	23/01/23	2200	9290	9	454	7910	122	<0.005	<0.0005	<0.005	<0.005	0.046	<0.005	0.10	<0.01	286.0	2.5	288.0	20	NR	NR	NR
04/08/23	24/08/23	2040	7260	7	372	6400	105	<0.005	<0.0005	<0.005	<0.005	0.030	<0.005	0.09	<0.01	436.0	59.3	495.0	39	<0.05	ND	ND
24/01/24	14/02/24	2440	8730	2	405	7280	117	<0.005	<0.0005	<0.005	<0.005	0.033	<0.005	<0.05	<0.05	338.0	53.7	392.0	29	NR	NR	NR
08/07/24	26/07/24	2700	8270	9	434	6860	127	<0.005	<0.0005	<0.005	<0.005	0.036	0.008	0.08	<0.01	327.0	42.4	369.0	35	<0.05	ND	ND
19/11/24	09/12/24	2820	7320	12	441	7890	127	<0.005	<0.0005	0.013	<0.005	0.037	<0.005	0.19	<0.01	418.0	35.4	453.0	24	NR	NR	NR
NBH4																				Annually	Annually	BTEX – Annually
09/06/20	29/06/20	28	910	1	5	1090	33	0.005	<0.0001	<0.001	0.002	0.011	0.007	<0.05	<0.01	0.22	<0.1	0.2	11	<0.05	ND	ND
22/12/20	14/01/21	28	979	1	5	1110	33	0.005	<0.0001	0.002	0.004	0.029	0.013	0.22	<0.01	0.22	0.1	0.3	7	NR	NR	NR
15/07/21	04/08/21	26	970	1	5	1040	31	0.005	<0.0001	0.001	0.001	0.034	0.003	<0.05	<0.01	0.21	0.1	0.3	4	<0.05	ND	ND
31/12/21	21/01/22	27	917	2	5	1120	32	0.005	<0.0001	<0.001	0.001	0.009	0.002	<0.05	<0.01	0.23	<0.1	0.2	13	NR	NR	NR
27/01/22	16/08/22	26	955	1	5	1040	32	0.005	<0.0001	<0.001	<0.001	0.024	0.002	<0.05	<0.01	0.23	<0.1	0.2	19	<0.05	ND	ND
29/12/22	23/01/23	27	912	1	6	1190	34	0.005	<0.0001	<0.001	0.002	0.022	0.003	<0.05	<0.01	0.23	<0.1	0.2	<2	NR	NR	NR
04/08/23	24/08/23	26	975	1	5	1100	33	0.005	<0.0001	<0.001	<0.001	0.007	0.002	<0.05	<0.01	0.24	<0.1	0.2	7	<0.05	ND	ND
24/01/24	14/02/24	26	943	2	5	1110	35	0.004	<0.0001	<0.001	0.003	0.014	0.019	0.20	<0.01	0.21	<0.1	0.2	<2	NR	NR	NR
08/07/24	26/07/24	26	987	1	5	1100	34	0.005	<0.0001	<0.001	0.001	0.022	0.005	<0.05	<0.01	0.22	<0.1	0.2	9	<0.05	ND	ND
19/11/24	09/12/24	33	1000	1	5	1060	32	0.005	<0.0001	<0.001	0.002	0.010	0.004	<0.05	<0.01	0.43	<0.1	0.4	<5	NR	NR	NR

Table 2c: Groundwater quality – laboratory analytes (Monitoring wells NBH5, NBH6)

Received from laboratory	Accessible on Council website by	SO ₄	Cl	Ca	Mg	Na	K	As	Cd	Cr	Pb	Zn	Mn	Fe	NH ₃	NO _x	TKN	TN	TOC	Total Phenols	OC& OP pesticides	BTEX compounds and/or VOCS
Measure		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L as N	mg/L as N	mg/L as N	mg/L as N	mg/L	mg/L	mg/L	mg/L
NBH5																				Annually	Annually	BTEX – Annually
03/12/19	23/12/19	89	2880	15	40	2140	67	0.004	<0.0001	<0.001	<0.001	0.040	0.001	<0.05	<0.01	3.77	0.3	4.1	9	NR	NR	NR
09/06/20	29/06/20	96	2930	15	40	2150	66	0.004	<0.0001	<0.001	0.001	0.026	0.002	<0.05	<0.01	3.98	1.0	5.0	16	<0.05	ND	ND
22/12/20	14/01/21	91	3200	14	44	2210	69	0.004	<0.0001	<0.001	0.002	0.031	0.008	<0.05	<0.01	4.17	0.4	4.6	12	NR	NR	NR
15/07/21	04/08/21	96	3150	15	44	2180	69	0.003	<0.0001	<0.001	<0.001	0.038	<0.001	<0.05	<0.01	4.06	0.6	4.7	13	<0.05	ND	ND
31/12/21	21/01/22	98	3190	16	47	2350	71	0.004	<0.0001	<0.001	<0.001	0.025	<0.001	<0.05	<0.01	4.54	0.2	4.7	20	NR	NR	NR
27/01/22	16/08/22	107	3400	15	48	2230	70	0.004	<0.0001	<0.001	<0.001	0.032	<0.001	<0.05	<0.01	4.41	0.6	5.0	26	<0.05	ND	ND
29/12/22	23/01/23	94	3340	20	56	2570	80	0.004	<0.0001	<0.001	<0.001	0.034	<0.001	<0.05	<0.01	4.83	0.3	5.1	13	NR	NR	NR
04/08/23	24/08/23	99	3360	19	52	2350	71	0.004	<0.0001	<0.001	<0.001	0.018	0.030	<0.05	0.14	4.86	0.3	5.2	15	<0.05	ND	ND
24/01/24	14/02/24	101	3610	20	56	2490	79	0.004	<0.0001	0.001	0.001	0.025	0.007	<0.05	0.01	4.83	0.4	5.2	9	NR	NR	NR
08/07/24	26/07/24	111	3620	18	59	2540	81	0.004	0.0001	<0.001	<0.001	0.028	0.002	<0.05	<0.01	4.79	0.3	5.1	14	<0.05	ND	ND
19/11/24	09/12/24	108	3590	16	49	2140	66	0.004	<0.0001	<0.001	<0.001	0.029	<0.001	<0.05	0.03	4.80	0.9	5.7	14	NR	NR	NR
NBH6																				Annually	Annually	BTEX – Annually
03/12/19	23/12/19	115	3700	13	39	3390	96	0.005	<0.0001	0.004	0.003	0.020	0.002	<0.05	<0.01	7.71	0.5	8.2	65	NR	NR	NR
09/06/20	29/06/20	152	3620	10	32	3020	84	0.004	<0.0001	0.004	0.001	0.012	0.001	<0.05	<0.01	7.60	0.9	8.5	32	<0.05	ND	ND
22/12/20	14/01/21	155	3760	9	38	3620	100	0.006	<0.0001	0.006	0.001	0.015	<0.001	<0.05	0.04	7.69	0.8	8.5	<10	NR	NR	NR
15/07/21	04/08/21	157	3520	8	33	3300	93	0.006	<0.0001	0.005	<0.001	0.012	<0.001	<0.05	0.02	7.11	1.1	8.2	23	<0.05	ND	ND
31/12/21	21/01/22	147	3320	8	34	3590	96	0.008	<0.0001	0.006	<0.001	0.013	<0.001	<0.05	<0.01	7.05	0.7	7.8	38	NR	NR	NR
27/01/22	16/08/22	148	3200	7	31	3260	90	0.007	<0.0001	0.005	0.002	0.019	<0.001	<0.05	<0.01	6.63	0.9	7.5	8	0.20	ND	ND
29/12/22	23/01/23	131	3020	9	33	3450	95	0.009	<0.0001	0.002	<0.001	0.013	0.001	<0.05	<0.01	6.91	0.6	7.5	10	NR	NR	NR
04/08/23	24/08/23	133	2600	6	27	3090	86	0.010	<0.0001	0.004	0.001	0.009	0.002	<0.05	<0.01	6.55	0.9	7.4	42	<0.05	ND	ND
24/01/24	14/02/24	119	2560	7	27	2770	78	0.010	<0.0001	0.004	0.003	0.014	<0.001	<0.05	<0.01	5.66	0.8	6.5	6	NR	NR	NR
08/07/24	26/07/24	132	2370	6	26	2900	81	0.012	<0.0001	0.003	0.002	0.010	<0.001	<0.05	<0.01	5.54	0.7	6.2	37	<0.05	ND	ND
19/11/24	09/12/24	126	2180	5	20	2280	65	0.012	<0.0001	0.003	0.002	0.017	0.002	<0.05	<0.01	5.81	1.5	7.3	25	NR	NR	NR

Table 2d: Groundwater quality – laboratory analytes (Monitoring wells NBH7, NBH8)

Received from laboratory	Accessible on Council website by	SO ₄	Cl	Ca	Mg	Na	K	As	Cd	Cr	Pb	Zn	Mn	Fe	NH ₃	NO _x	TKN	TN	TOC	Total Phenols	OC & OP pesticides	BTEX compounds and/or VOCS
Measure		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L as N	mg/L as N	mg/L as N	mg/L as N	mg/L	mg/L	mg/L	mg/L
NBH7																				Annually	Annually	BTEX – Annually
26/02/20	11/03/20	68	61	1	4	103	18	0.008	<0.0001	0.061	0.072	0.100	0.111	48.6	0.16	6.60	11.6	18.2	24	NR	NR	NR
09/06/20	29/06/20	35	36	2	4	91	19	0.009	0.0001	0.054	0.048	0.103	0.139	48.3	4.57	2.99	22.5	25.5	23	<0.05	ND	ND
13/10/20	02/11/20	40	54	3	5	94	19	0.008	<0.0001	0.025	0.016	0.117	0.202	24.0	27.1	0.16	41.2	41.4	47	NR	NR	NR
22/12/20	14/01/21	14	49	4	7	126	21	0.008	<0.0001	0.012	0.004	0.014	0.053	9.43	45.7	0.01	55.6	55.6	26	NR	NR	NR
03/03/21	23/03/21	62	54	2	6	119	16	0.002	<0.0001	0.003	0.001	0.007	0.016	3.26	1.13	1.43	3.0	4.4	21	NR	NR	NR
15/07/21	04/08/21	62	50	2	5	98	17	0.004	<0.0001	0.019	0.016	0.045	0.038	16.0	0.08	3.69	6.5	10.2	17	<0.05	ND	ND
28/09/21	18/10/21	64	50	3	7	102	17	0.003	<0.0001	0.021	0.009	0.027	0.032	16.6	0.04	2.81	4.1	6.9	13	NR	NR	NR
31/12/21	21/01/22	52	37	4	7	68	14	0.002	<0.0001	0.007	0.004	0.008	0.015	5.40	0.04	2.80	1.0	3.8	<1	NR	NR	NR
31/03/22	22/04/22	55	32	3	7	78	15	0.001	<0.0001	<0.001	<0.001	0.017	<0.001	0.09	0.02	1.83	2.9	4.7	14	NR	NR	NR
27/01/22	16/08/22	61	45	2	7	93	18	0.003	<0.0001	0.024	0.009	0.023	0.038	18.7	0.01	0.64	2.1	2.7	14	<0.05	ND	ND
11/10/22	01/11/22	44	40	4	8	68	10	<0.001	<0.0001	<0.001	0.003	0.007	0.009	<0.05	<0.01	2.77	1.5	4.3	8	NR	NR	NR
29/12/22	23/01/23	40	32	5	6	60	9	0.001	<0.0001	0.004	0.002	0.006	0.008	3.12	<0.01	1.62	0.6	2.2	6	NR	NR	NR
29/03/23	20/04/23	36	41	5	8	73	12	0.001	<0.0001	0.002	0.004	0.005	0.017	1.95	<0.01	0.36	0.7	1.1	8	<0.05	ND	ND
04/08/23	24/08/23	30	37	7	8	64	10	<0.001	<0.0001	0.002	<0.001	<0.005	0.026	1.71	<0.01	0.75	1.1	1.8	7	<0.05	ND	ND
06/10/23	26/10/23	30	42	5	6	75	8	0.002	<0.0001	0.013	0.006	0.016	0.153	12.2	0.01	0.42	1.1	1.5	9	NR	NR	NR
24/01/24	14/02/24	30	38	5	7	69	11	0.001	<0.0001	0.003	<0.001	0.007	0.022	2.16	0.02	0.02	0.9	0.9	7	NR	NR	NR
02/04/24	23/04/24	42	46	6	5	78	14	0.002	<0.0001	0.012	0.004	0.011	0.031	9.26	0.03	0.29	1.7	2.0	13	NR	NR	NR
08/07/24	26/07/24	55	55	8	10	86	18	0.002	<0.0001	0.004	0.001	0.008	0.034	1.89	<0.01	2.36	1.8	4.2	15	<0.05	ND	ND
01/10/24	22/10/24	39	22	7	7	57	15	0.002	<0.0001	0.003	0.001	<0.005	0.019	2.34	0.03	2.26	1.7	4.0	18	NR	NR	NR
19/11/24	09/12/24	48	40	5	6	70	14	0.003	<0.0001	0.017	0.004	0.010	0.050	12.5	<0.01	1.40	2.0	3.4	21	NR	NR	NR
NBH8																				Annually	Annually	BTEX – Annually
09/06/20	29/06/20	30	1570	15	49	1110	16	0.002	<0.0001	<0.001	0.002	0.082	0.012	0.07	0.01	0.12	0.2	0.3	9	<0.05	ND	ND
22/12/20	14/01/21	29	1670	14	52	1140	17	0.002	<0.0001	<0.001	0.002	0.044	0.008	0.05	0.04	0.13	0.2	0.3	7	NR	NR	NR
15/07/21	04/08/21	28	1640	15	52	1140	18	0.002	<0.0001	<0.001	0.002	0.070	0.011	0.08	0.01	0.18	0.3	0.5	5	<0.05	ND	ND
31/12/21	21/01/22	29	1570	15	51	1160	17	0.002	<0.0001	<0.001	0.003	0.057	0.010	0.12	0.15	0.37	0.3	0.7	9	NR	NR	NR
27/01/22	16/08/22	28	1620	14	51	1110	16	0.001	<0.0001	<0.001	0.003	0.104	0.007	<0.05	<0.01	0.30	0.2	0.5	12	<0.05	ND	ND
29/12/22	23/01/23	28	1560	16	56	1200	18	0.002	<0.0001	<0.001	0.003	0.062	0.013	0.05	<0.01	0.45	0.2	0.6	6	NR	NR	NR
04/08/23	24/08/23	27	1580	14	51	1130	17	0.002	<0.0001	<0.001	0.006	0.042	0.023	0.16	<0.01	0.34	0.3	0.6	5	<0.05	ND	ND
24/01/24	14/02/24	27	1650	16	52	1140	18	<0.001	<0.0001	<0.001	0.004	0.033	0.016	0.07	0.04	0.37	0.3	0.7	4	NR	NR	NR
08/07/24	26/07/24	28	1610	15	56	1160	18	0.002	<0.0001	<0.001	0.002	0.074	0.006	<0.05	<0.01	0.33	0.2	0.5	8	<0.05	ND	ND
19/11/24	09/12/24	28	1640	14	48	993	15	0.002	<0.0001	<0.001	0.002	0.059	0.006	<0.05	<0.01	0.28	0.2	0.5	5	NR	NR	NR

Table 3: Surface water quality

Sampling date	Frequency required by licence	EC	pH
Measure		µS/cm	1-14
NS1 Sampling only on discharge from dam required by licence			
12/02/20 FLOW		126	7.44
31/03/20 FLOW		167	7.28
30/05/20 no discharge – voluntary sample to assess internal, no flow quality		200	8.10
23/03/21 FLOW		130	7.46
01/07/21 FLOW		221	6.90
10/12/21 no discharge – voluntary sample to assess internal, no flow quality		207	6.85
11/12/22 no discharge – voluntary sample to assess internal, no flow quality		226	7.97
15/01/24 no discharge – voluntary sample to assess internal, no flow quality		240	8.10
01/06/24 FLOW		151	7.47
09/11/24 no discharge – voluntary sample to assess internal, no flow quality		309	8.81
30/11/24 FLOW		190	7.59
NS2 Sampling only on discharge from dam required by licence			
30/05/20 no discharge – voluntary sample to assess internal, no flow quality		398	8.33
10/12/21 no discharge – voluntary sample to assess internal, no flow quality		553	8.23
11/12/22 no discharge – voluntary sample to assess internal, no flow quality		559	7.97
09/11/24 no discharge – voluntary sample to assess internal, no flow quality		832	7.80

Received from laboratory	Accessible on Council website by	SS	NH ₃	NO _x	TKN	TN	TOC	O&G
		mg/L	mg/L as N	mg/L as N	mg/L as N	mg/L	mg/L	mg/L
NS1								
20/02/20	11/03/20	240	0.27	0.38	1.8	2.2	5	8
14/04/20	29/06/20	49	0.18	0.16	1.6	1.8	5	<5
09/06/20	29/06/20	15	0.08	0.72	0.6	1.3	5	<5
01/04/21	22/04/21	104	0.08	0.36	1.3	1.6	7	<5
15/07/21	04/08/21	14	0.21	1.04	2.2	3.2	7	5
31/12/21	21/01/22	58	0.08	0.35	1.2	1.6	7	<5
29/12/22	23/01/23	5	0.19	0.50	1.0	1.5	6	<5
24/01/24	14/02/24	72	0.19	0.09	1.7	1.8	5	<5
12/06/24	26/07/24	154	0.15	0.42	1.2	1.6	6	<5
19/11/24	09/12/24	49	0.10	<0.01	2.6	2.6	12	10
11/12/24	02/01/25	225	0.08	0.15	1.3	1.4	9	<5
NS2								
09/06/20	29/06/20	6	0.03	0.36	1.1	1.5	9	<5
31/12/21	21/01/22	13	0.05	<0.01	2.8	2.8	22	<5
29/12/22	23/01/23	6	1.06	0.14	2.9	3.0	17	<5
19/11/24	09/12/24	199	0.62	<0.01	3.7	3.7	26	5

Table 4a: Leachate quality – field analytes, and laboratory analytes (a)

Sampling date	Frequency required by licence	DO	EC	pH	Eh	Temp	Alk	Received	Accessible	SO ₄	Cl	Ca	Mg	Na	K	F1	Al	As	Ba	Cd	Co	Cr	Cu	Mn	Pb	Zn	Fe
								from laboratory	on Council website by																		
Measure		mg/L	µS/cm	1-14	mV	°C	mg/L			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
NL1	Annually	NR			NR	NR		NL1																			
23/06/19		1.51	16230	8.54	+54	16.1	5000	10/07/19	30/07/19	<100	2840	72	136	2660	706	0.3	9.82	0.032	0.750	0.0035	0.110	0.983	0.186	1.46	0.117	1.380	27.0
30/05/20		1.69	14570	8.76	+69	20.9	6000	09/06/20	29/06/20	<200	2350	80	98	2490	628	0.4	2.96	0.036	0.795	0.0021	0.111	0.919	0.114	1.39	0.086	1.300	22.1
09/12/20		1.83	16325	8.49	+38	30.2	4400	22/12/20	14/01/21	<50	3000	84	101	2370	725	0.3	2.88	0.033	0.667	0.0022	0.116	1.030	0.099	1.55	0.080	1.31	23.5
18/08/21		3.44	13665	9.16	+3	15.9	5200	31/08/21	20/09/21	<100	2350	4	10	240	63	0.3	1.92	0.028	0.574	0.0013	0.097	0.795	0.046	1.24	0.037	0.805	23.5
11/12/21		1.85	13255	8.78	+40	29.5	5600	31/12/21	21/01/22	<100	2470	81	109	2600	653	0.3	2.14	0.027	0.630	0.0012	0.082	0.688	0.128	1.31	0.051	1.090	20.5
15/07/22		4.62	12360	8.95	+43	19.3	6000	27/01/22	16/08/22	<100	1550	3	7	162	42	0.3	2.16	0.026	2.75	<0.0021	0.096	0.745	0.142	1.28	0.050	1.250	24.9
20/07/23		1.95	12125	8.67	+13	16.2	5000	04/08/23	24/08/23	<100	2120	78	96	2220	586	0.3	1.58	0.021	0.561	0.0011	0.076	0.562	0.169	0.997	0.046	0.525	19.4
21/06/24		6.60	9895	9.20	+26	16.7	2000	08/07/24	26/07/24	<20	2420	104	76	2290	455	0.3	0.20	0.036	0.294	<0.0001	0.022	0.151	0.004	0.282	0.002	0.071	1.95

Table 4b: Leachate quality – laboratory analytes (b)

Sampling date	Measure	Hg	Cr ^{v1}	NH ₃	NO _x	TKN	TN	TP	TOC	Total Phenols	OC& OP pesticides	PAH	TPH C6-C9	TPH >C10-C14	TPH >C15-C28	TPH >C29-C36	TPH >C10-C36 (sum)	VOCs	
																			mg/L
NL1																			
23/06/19		<0.0010	<0.100	563.0	0.53	828.0	828.0	7.72	2060	<0.25	ND	ND	0.060	2.180	8.580	0.650	11.400	ND	
30/05/20		<0.0010	<0.500	523.0	<2.00	904.0	904.0	8.62	1700	<0.10	ND	ND	0.050	2.130	10.600	0.920	13.600	ND	
09/12/20		<0.0020	<0.100	669.0	<1.00	810.0	810.0	7.54	1850	<0.10	ND	ND	0.040	1.520	8.870	0.540	10.900	ND	
18/08/21		<0.0010	<0.100	563.0	<1.00	787.0	787.0	7.42	1470	<0.10	ND	ND	<0.001	1.290	5.120	0.530	6.940	ND	
11/12/21		<0.0010	<0.100	311.0	<0.50	470.0	470.0	8.74	1490	<0.20	ND	ND	<0.020	1.290	7.700	0.790	9.780	ND	
15/07/22		<0.0100	<0.100	231.0	<1.00	362.0	362.0	6.86	1130	<0.05	ND	ND	<1.000	1.080	4.520	0.460	6.060	ND	
20/07/23		<0.0100	<0.100	542.0	<1.00	740.0	740.0	7.67	1470	<0.10	ND	ND	<0.100	1.730	8.230	0.500	10.500	ND	
21/06/24		<0.0100	<0.050	28.2	<0.50	123.0	123.0	2.82	799	<0.05	ND	ND	<0.100	1.000	2.760	1.190	4.950	ND	

Methane is a colourless, odourless gas that is flammable and explosive. It is generated approximately three months after the deposition of putrescible solid waste and once oxygen is depleted. Testing is conducted above ground surfaces to assure that none is escaping to air, and in buildings to assure against asphyxiation and explosion.

Comments on methane monitoring results: Methane has been detected occasionally on the ground surface and is remediated soon after by Council.

Table 5: Methane detections (surface or building)

Sampling date	Frequency required by licence	Detection locations	Methane (CH ₄) by volume in air ppm	Methane (CH ₄) by volume in air %	Methane (CH ₄) as % LEL (Lower Explosive Limit) % LEL	Accessible on Council website by
Surface & building						
05/03/19	3 monthly	nil detections				02/04/19
23/06/19		nil detections				30/07/19
30/09/19		nil detections				01/11/19
22/11/19		nil detections				23/12/19
13/02/20		nil detections				11/03/20
30/05/20		nil detections				29/06/20
02/10/20		nil detections				02/11/20
09/12/20		nil detections				14/01/21
21/02/21		nil detections				23/03/21
18/08/21		nil detections				20/09/21
20/09/21		Base of leachate pipe	3,000	0.3	6.0	18/10/21
11/12/21		nil detections				21/01/22
20/03/22		nil detections				22/04/22
14&15/07/22		nil detections				16/08/22
28/09/22		nil detections				01/11/22
08/12/22		nil detections				23/01/23
19/03/23		nil detections				20/04/23
19&20/07/23		nil detections				24/08/23
22/09/23		nil detections				26/10/23
15/01/24		nil detections				14/02/24
14/03/24		nil detections				23/04/24
21/06/24		nil detections				26/07/24
18/09/24		nil detections				22/10/24
08&09/11/24		nil detections				09/12/24

Note: 500 ppm CH₄ by volume in air = 0.05% CH₄ by volume in air = 1% LEL